



**CERTIFICATE OF FREE SALE
(Certificate of Inspection)**

TO WHOM IT MAY CONCERN:

Regarding the firm of: **Chef Jay's Food Products**
3643 East Post Road
Las Vegas, Nevada 89120
Permit #23548-335-01 - Inspection Date: June 11, 2009

Southern Nevada Health District regulates the production, manufacture and sale of food and drugs in Clark County, Nevada, pursuant to Nevada Revised Statutes, Chapter 585. The above-referenced firm is permitted by the Southern Nevada Health District to manufacture non-prescription food supplements and is in substantial compliance with food and drug manufacturing laws (Nevada Administrative Code Chapter 585). The below mentioned items are manufactured using "Good Manufacturing Practices" in Clark County, Nevada.


Southern Nevada Health District does not object to the sale of the following product(s) in Clark County, Nevada, or its shipment to any other state or country:

Product(s) for export consist of:

- | | | | |
|----|---|--|---|
| 1. | Tri-O-Plex Carmel Apple | Consistency:
Serving Size:
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack |
| 2. | Tri-O-Plex Chocolate Coconut | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |
| 3. | Tri-O-Plex Peanut Butter Chocolate Chip | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |
| 4. | Tri-O-Plex Smores | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |




Steven J. Goode, Environmental Health Manager
Deputy Food and Drug Commissioner



Date
Las Vegas, Nevada


- | | | | |
|-----|---|---|---|
| 5. | Tri-O-Plex Peanut Butter Banana | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |
| 6. | Tri-O-Plex Very Berry | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |
| 7. | Tri-O-Plex Banana Walnut | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack or Meal Replacement |
| 8. | Tri-O-Plex Duo Peanut Butter Caramel | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 1 Bar at 3-4 hour intervals, as desired, for a Snack or Meal Replacement |
| 9. | Tri-O-Plex Duo Peanut Butter & Jelly Sandwich | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 1 Bar at 3-4 hour intervals, as desired, for a Snack or Meal Replacement |
| 10. | Tri-O-Plex Duo Peanut Butter | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 1 Bar at 3-4 hour intervals, as desired, for a Snack or Meal Replacement |
| 11. | Tri-O-Plex Mini Peanut Butter Chocolate Chip | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack |
| 12. | Tri-O-Plex Mini S'mores | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack |



 Steven J. Goode, Environmental Health Manager
 Deputy Food and Drug Commissioner

 Date 2/11/10
 Las Vegas, Nevada

- | | | | |
|-----|---|---|--|
| 13. | Tri-O-Plex Mini Very Berry | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Once or twice daily as a Snack |
| 14. | Tri-O-Plex Skinny Dipped Chocolate
Peanut Butter | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 1 Bar at 3-4 hour intervals, as
desired, for a Snack or Meal
Replacement |
| 15. | Tri-O-Plex Skinny Dipped German
Chocolate | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 1 Bar at 3-4 hour intervals, as
desired, for a Snack or Meal
Replacement |
| 16. | Tri-O-Plex Skinny Dipped Yogurt
Peanut Butter | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Bar
1 Bar
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 17. | Tri-O-Plex Caramel Apple Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 18. | Tri-O-Plex Chocolate Chip Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 19. | Tri-O-Plex Cranberry White Chocolate | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |




 Steven J. Goode, Environmental Health Manager
 Deputy Food and Drug Commissioner



 Date
 Las Vegas, Nevada


- | | | | |
|-----|--|---|--|
| 20. | Tri-O-Plex Double Chocolate Chip Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 21. | Tri-O-Plex Oatmeal Raisin Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 22. | Tri-O-Plex Peanut Butter Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 23. | Tri-O-Plex Peanut Butter Chocolate Chip
Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 24. | Tri-O-Plex Dipped Frosted Oatmeal Raisin
Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 25. | Tri-O-Plex Dipped Peanut Butter Kup
Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 26. | Tri-O-Plex Lite Bite Chocolate Chip Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |



 Steven J. Goode, Environmental Health Manager
 Deputy Food and Drug Commissioner

 2/11/10
 Date
 Las Vegas, Nevada

- | | | | |
|-----|--|---|---|
| 27. | Tri-O-Plex Lite Bite Double Chocolate Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 28. | Tri-O-Plex Lite Bite Oatmeal Raisin Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 29. | Tri-O-Plex Lite Bite Peanut Butter Chocolate Chip Cookie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Cookie
2 Cookies
1
Eat 2 Cookies at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 30. | Tri-O-Plex Caramel Butterscotch Brownie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Brownie
1 Brownie
1
Eat 1 Brownie at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 31. | Chocolate Walnut Brownie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Brownie
1 Brownie
1
Eat 1 Brownie at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |
| 32. | Tri-O-Plex Double Chocolate Brownie | Consistency:
Serving Size
Servings Per Package:
Suggested Use: | Brownie
1 Brownie
1
Eat 1 Brownie at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement |



 Steven J. Goode, Environmental Health Manager
 Deputy Food and Drug Commissioner



 Date
 Las Vegas, Nevada

33. Tri-O-Plex Peanut Butter Brownie

Consistency:

Brownie

Serving Size

1 Brownie

Servings Per Package:

1

Suggested Use:

Eat 1 Brownie at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement

34. Tri-O-Plex White Chocolate Chip
Mousse Brownie

Consistency:

Brownie

Serving Size

1 Brownie

Servings Per Package:


1

Suggested Use:

Eat 1 Brownie at 3-4 hour intervals,
as desired, for a Snack or Meal
Replacement



Steven J. Goode, Environmental Health Manager
Deputy Food and Drug Commissioner



Date
Las Vegas, Nevada